



## Installation Instructions: Linux Agent



## Introduction

This guide gives step-by-step instructions on how to set up your On-Premise environment for Cloudamize Assessment. This guide will walk you through the steps you will need to take in order to set up your Cloudamize Assessment. This covers how to create your Cloudamize login, and set up your On-Premise Windows or Linux Machines.

If you require assistance, do not hesitate to contact us at [helpdesk@cloudamize.com](mailto:helpdesk@cloudamize.com) or via phone at 215-557-3735.

## Creating your Login

**Step 1:** Navigate to the Pre-Cloud application from <http://www.cloudamize.com/app> and click Register. Enter the required information to create your Cloudamize login and click “Sign Up.”

**Cloudamize** Contact | Support

1. Sign Up    2. Billing Details    3. IaaS settings    4. Add Accounts

### Sign Up

Welcome to Cloudamize. Please enter your information below to get started.

First Name

Last Name

Company

Email

Password


Phone Number

cloudestimator.cloudamize.com/estimator

**Step 2:** Select Data Center region

### Select Regions

Please select a region for each IaaS provider





- None
- US East (N. Virginia)
- US West (N. California)
- US West (Oregon)
- South America (Sao Paulo)
- EU (Frankfurt)
- EU (Ireland)
- Asia Pacific (Tokyo)
- Asia Pacific (Singapore)
- Asia Pacific (Sydney)

Step 3: Select On-Premise to download linux client.


### Connect Infrastructure

Please select your infrastructure type to get started.





On-Premise



Continue

### Setting Up On-Premise Machines (Linux)

Step 1: For Linux installation instructions, click on the **Linux tab**. Become root user either through "sudo -s" or "su", most systems use sudo.

Step 2: Export your customer key. e.g.


```
export CLOUDAMIZE_CUSTOMER_KEY=<YOUR CUSTOMER KEY>
```

Step 3: Execute the following command to install an agent.

```
sh <(curl -s https://agent.cloudamize.com/cxf/downloadFile/installCloudamizeAgentV2.sh)
```

If FQDN resolution is not permitted use the command below.

```
sh <(curl -s -k https://104.197.11.97/cxf/downloadFile/installCloudamizeAgentV2.sh)
```



The screenshot shows a web interface for "Agent Installation". On the left is a sidebar menu with "Settings" (Configuration, Quick Setup), "Agent Installation", "User Profile" (Account Info, Billing), and "User Profile". The main content area is titled "Agent Installation" and has tabs for "Linux" and "Windows". Under "Linux Installation Instructions", it says "Fetch and install the Cloudamize Agent from Cloudamize Server. Execute the below command as root user:" followed by two terminal snippets: 

```
%> export CLOUDAMIZE_CUSTOMER_KEY=
```

 and 

```
%> sh <(curl -s https://agent.cloudamize.com/cxf/downloadFile/
```

. On the right, there are buttons for "Email Instructions", "Exit", and "Settings". The user "Jon Doe" is logged in at the top right.

Step 3: If you wish to remove agents in the future go to `/usr/local/cloudamize/bin` and run the following command:

```
./uninstall_cmizeagent.sh
```